=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/532,442

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

* PALM INTRANET

Day: Thursday Date: 1/11/2007

Time: 15:59:41

Inventor Information for 10/532442

Inventor Name	City	State/Country
KAISER, TRENT MICHAEL VICTOR	ALBERTA	CANADA
SLACK, MAURICE WILLIAM	ALBERTA	CANADA
DALL'ACQUA, DANIEL	ALBERTA	CANADA
Appin Info Att	y/Agent Info Continu	uity/Reexam
	y/Agent Info Continu	uity/Reexam Search
	Search or Patent#	Search
Search Another: Application#	Search or Patent#	Search Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

1	US 7124825 B2	20061024	Casing wear band and method of attachment	166/378	166/241.6; 166/242.6; 175/325.5; 29/508	Slack; Maurice William
1	US 7082997 B2	20060801	Pipe centralizer and method of attachment	166/378	166/241.6; 166/242.6; 175/325.5; 29/505	Slack; Maurice William
1	US 7013992 B2	20060321	Borehole stabilization while drilling	175/57	175/325.2	Tessari; Robert M. et al.
1	US 6904974 B2	20050614	Slotting geometry for metal pipe and method of use of the same	166/384	166/207; 166/233	Slack; Maurice William
1	US 6899356 B2	20050531	Tubular connection floating shoulder ring	285/333	285/148.27; 285/390; 411/352; 411/516	Slack; Maurice William et al.
1	US 6898957 B2	20050531	Method of reducing slot width in slotted tubular liners	72/122	72/121; 72/126; 72/78; 72/95	Slack; Maurice William
1	US 6732822 B2	20040511	Method and apparatus for handling tubular goods	175/423	166/138; 166/216; 294/86.25; 294/95	Slack; Maurice William et al.
1	US 6679335 B2	20040120	Method for preparing casing for use in a wellbore	166/380	166/242.1; 277/314; 277/559; 29/520	Slack; Maurice William et al.
1	US 6622788 B2	20030923	External casing anchor	166/241.6	166/195	Kaiser; Trent Michael

.

				·		
						Victor 6
	:					al.
1	US	20020625	"Corrugated	285/226	285/227;	Slack;
	6409226	•	thick-		285/298;	Mauric
	B1		walled pipe		285/903;	Willian
			for use in		405/133	et al.
•			wellbores"			